

KRATKI BIOFUEL 340



The Biofuel 340 is part of Kratki's bioethanol fireplace range. This compact unit is a good option for those looking to add some warmth and ambience to their space. It is easy to use and, because it does not give off harmful emissions, there's no need for a chimney. The Biofuel 340 can simply be dropped into a non-flammable surface with a specific cut-out size. The cut-out size should be 310mm x 110mm with 60mm depth.

Categories: [All fireplaces](#), [Bioethanol burners](#), [Fixed bioethanol burners](#)

Tags: [Compact](#), [Drop-in line](#), [Modern](#)

PRODUCT GALLERY



ADDITIONAL INFORMATION

Weight	2.6 kg
Dimensions	34 × 13.2 × 5.2 cm
Colour	Black
Country of manufacture	Poland
Fuel	Bioethanol
Material	Stainless Steel
Warranty	2-year warranty
Combustion technology	Ventless bioethanol
Tank size	0.5 litres
Flame length	250mm
Burning time	± 2 hours

PRODUCT DESCRIPTION

Bioethanol fuel gives a clean burn with no harmful emissions. Kratki bioethanol fireplaces can therefore be used without any flue pipes and offer an easy installation solution. These fireplaces provide a beautiful flame and bring atmosphere to your space. While these bioethanol fireplaces do provide some heat, it's not enough to be felt in a large area. For heating purposes, they are well suited for smaller spaces such as bedrooms or smaller apartments. The Kratki bioethanol range has the German TUV certification. Never add fuel to a bioethanol fireplace when the unit is hot. Wait for it to cool before refilling.

NOTES



Kratki South Africa

www.kratki.co.za | info@kratki.co.za
